DNR 7602.10

TYPE OR USE PEN
SELF TRANSCRIBING
PRESS HARD

WELL LOG AND DRILLING REPORT

Ohio Department of Natural Resources
Divison of Soil and Water Resources, 2045 Morse Road Building B
Columbus, Ohio 43229-6693 Voice (614) 265-6740 Fax (614) 265-6767

1019061

WELL LOCATION

County Portage Township Edenburg

Owner/Builder (Circle One or Both) Vitto (First) Giulitto (Last)

Address of Well Location 3668 (Number) St Rt 14 (Street Name)

City Rootstown Zip Code +4 44272

Permit No. # 1797 Section/Lot No. (Circle One or Both)

Location of Well in State Plane coordinates, if available: Use of Well domestic

N ☐ X N41° 5' 21" . +/- ft. or m

S ☐ Y W081° 8' 1" . +/- ft. or m

Elevation of Well 1140 . +/- ft. or m

Datum Plain: ☐ NAD27 ☐ NAD83 Elevation Source

Source of Coordinates: ☒ GPS ☐ Survey ☐ Other

Sketch a map showing distance well lies from numbered state highways, street intersections, county roads, buildings or other notable landmarks. If latitude and longitude are available please include here: Lat: Long:



WELL TEST*

Pre-Pumping Static Level 27 ft. Date 7-26

Measured from: ☒ Top of Casing ☐ Ground Level ☐ Other

☐ Air ☒ Bailing ☒ Pumping* ☐ Other

Test Rate 15 gpm Duration of Test 24 hrs.

Feet of Drawdown 15 ft. Sustainable Yield 15 gpm

*(Attach a copy of the pumping test record, per section 1521.05, ORC)

Is Copy Attached? ☐ Yes ☒ No Flowing Well? ☐ Yes ☒ No

Quality

PUMP/PITLESS

Type of pump ~~Submersible~~ Sub Capacity 10 gpm

Pump set at 45 ft. Pitless Type pull Through

Pump installed by Marty

I hereby certify the information given is accurate and correct to the best of my knowledge.

Drilling Firm Richard Well (Marty's pump)

Address P.O. Box 163

City, State, Zip Mantua Oh 44255

Signed Marty Mullett Date 8-15

ODH Registration Number 953

CONSTRUCTION DETAILS

☐ Rotary ☐ Cable ☐ Augered ☐ Driven ☐ Other

BOREHOLE/CASING (measured from ground surface)

1 ☒ Borehole Diameter 5.5 inches, Depth 60 ft.

Casing Diameter 6. in. Length 47' ft. Thickness .188 in.

2 ☐ Borehole Diameter inches Depth ft.

Casing Diameter in. Length ft. Thickness in.

Casing Height Above Ground 1'6" ft.

Type 1 ☒ Steel 1 ☐ Galv. 1 ☐ PVC 1 ☐
2 ☐ 2 ☐ 2 ☐ 2 ☐ Other

Joints 1 ☐ Threaded 1 ☒ Welded 1 ☐ Solvent 1 ☐
2 ☐ 2 ☐ 2 ☐ 2 ☐ Other

SCREEN

Diameter Slot Size Screen Length ft.

Type Material

Set Between ft. and ft.

GRAVEL PACK (Filter Pack)

Material/Size Volume/Weight Used

Method of Installation

Depth: Placed FROM ft. TO ft.

GROUT

Material Bentonite Volume/Weight Used # 100

Method of Installation dry driven

Depth: Placed FROM 0 ft. TO 47 ft.

DRILLING LOG*

INDICATE DEPTH(S) AT WHICH WATER IS ENCOUNTERED. Show color, texture, hardness, and formation: sandstone, shale, limestone, gravel, clay, sand, etc.	From	To
Brown sandgravel clay	0	10
gray clay & sand	10	20
Brown clay, sand, & grave	20	35
Shale	35	45
Sand stone gray	45	50
Tan Sandstone	50	60
water at	60	

*(If more space is needed to complete drilling log, use next consecutively numbered form.)

Date of Well Completion 8-8-17 Total Depth of Well 60 ft.

Completion of this form is required by section 1521.05, Ohio Revised Code - file within 30 days after completion of drilling.

ORIGINAL COPY TO - ODNR, DIVISION OF SOIL AND WATER RESOURCES, 2045 MORSE ROAD BLD. B, COLS., OHIO 43229-6693

Blue - Customer's copy Pink - Driller's copy Green - Local Health Dept. copy